

	Type	L #	Hits	Search Text	DBs
1	BRS	L51	1390	chip adj scale adj package	USPA T; US-P GPUB
2	BRS	L52	46	wafer adj scale adj package	USPA T; US-P GPUB
3	BRS	L53	105	L51 and (silica or quartz) and glass	USPA T; US-P GPUB
4	BRS	L55	8	L52 and (silica or quartz) and glass and substrate	USPA T; US-P GPUB
5	BRS	L54	102	L53 and substrate	USPA T; US-P GPUB
6	BRS	L56	436	257/E23.009.ccls.	USPA T; US-P GPUB
7	BRS	L57	668	257/E23.065.ccls.	USPA T; US-P GPUB
8	BRS	L58	388	257/E23.078.ccls.	USPA T; US-P GPUB
9	BRS	L59	1099	257/E23.125.ccls.	USPA T; US-P GPUB
10	BRS	L60	102	L54 and (silica or quartz) and glass and substrate	USPA T; US-P GPUB
11	BRS	L63	7	L58 and (silica or quartz) and glass and substrate	USPA T; US-P GPUB
12	BRS	L62	19	L57 and (silica or quartz) and glass and substrate	USPA T; US-P GPUB
13	BRS	L64	80	L59 and (silica or quartz) and glass and substrate	USPA T; US-P GPUB

	Type	L #	Hits	Search Text	DBs
14	BRS	L61	132	L56 and (silica or quartz) and glass and substrate	USPA T; US-P GPUB
15	BRS	L65	54	L61 and (aperture or hole)	USPA T; US-P GPUB
16	BRS	L66	1	"4347074".PN.	USPA T
17	BRS	L67	346	257/785.ccls.	USPA T; US-P GPUB
18	BRS	L68	6	L67 and (silica or quartz) and glass and substrate	USPA T; US-P GPUB
19	BRS	L69	1330 1	(glass adj substrate) and (silica or quartz) and substrate	USPA T; US-P GPUB
20	BRS	L70	2187	L69 and (aperture or hole) and (trace or wiring)	USPA T; US-P GPUB
21	BRS	L71	1571	L70 and exposed	USPA T; US-P GPUB
22	BRS	L72	560	L71 and flexible	USPA T; US-P GPUB
23	BRS	L73	205	L72 and (die or chip) and (pad or terminal)	USPA T; US-P GPUB
24	BRS	L74	1	"5504375".PN.	USPA T
25	BRS	L75	1	"5485540".PN.	USPA T
26	BRS	L76	1	"5453652".PN.	USPA T
27	BRS	L77	1	"5448126".PN.	USPA T
28	BRS	L78	1	"5373579".PN.	USPA T
29	BRS	L79	1	"5373579".PN.	USPA T
30	BRS	L80	1	"5281935".PN.	USPA T

	Type	L #	Hits	Search Text	DBs
31	BRS	L81	1	"5202652".PN.	USPA T
32	BRS	L82	1	"5198716".PN.	USPA T
33	BRS	L83	1	"5198716".PN.	USPA T
34	BRS	L84	1	"5189914".PN.	USPA T
35	BRS	L85	1	"5150226".PN.	USPA T